



Halogen non-reflector

12345SL 20W G4 12V 1CT/24

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data

General Information	
Cap-Base	G4 [G4]
Philips Code	12345SL
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Projection
Life to 50% Failures (Nom)	100 h

Light Technical	
Luminous Flux (Rated) (Nom)	640 lm
Correlated Color Temperature (Nom)	3100 K
Color Rendering Index (Nom)	100

Operating and Electrical	
Power (Nom)	20 W
Voltage (Nom)	12 V

Mechanical and Housing	
Bulb Material	Quartz-UV Open


Filament Dimensions WxH	-
-------------------------	---

Luminaire Design Requirements	
Bulb Temperature (Max)	900 °C
Pinch Temperature (Max)	400 °C

Product Data	
Full product code	871869669023900
Order product name	12345SL 20W G4 12V 1CT/24
EAN/UPC - Product	8718696690239
Order code	924068417104
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	24
Material Nr. (12NC)	924068417104
Net Weight (Piece)	1.000 g

Halogen non-reflector

Dimensional drawing



Product	D (max)	L (min)	L (max)	L	C	P (max)	P	P (min)
12345SL 20W	8.5 mm	19.25	19.75	19.5	30	0.75 mm	0.7	0.65
G4 12V		mm	mm	mm	mm		mm	mm
1CT/24								

12345SL 20W G4 12V

